



BAUCE
1970



F

WE INTRODUCE A NEW WORLD OF SHAVING



IT RASATRICE IDRAULICA

ES MÁQUINA DE REBAJAR HIDRÁULICA

Particolare afflatore cilindro a lame
Detalle afilador cilindro de cuchillas



Particolare centralina idraulica
 Detalle centralita hidráulica

F					
DATI TECNICI / DATOS TÉCNICOS		1300	1500	1800	2000
LARGHEZZA UTILE / ANCHO ÚTIL	mm	1300	1500	1800	2000
POTENZA MOTORE PRINCIPALE / POTENCIA MOTOR PRINCIPAL	HP (kW)	40 (30)	40 (30)	50 (37)	60 (45)
POTENZA MOTORE POMPA POTENCIA MOTOR BOMBA	HP (kW)	7,5 (5,5)	7,5 (5,5)	7,5 (5,5)	7,5 (5,5)
INGOMBRO IN PIANTA / DIMENSIONES EN PLANTA	mm	1350x3200	1350x3400	1500x3770	1500x3970
PESO NETTO / PESO NETO	kg	3800	4000	5600	6100
PESO LORDO CON IMBALLO MARITTIMO PESO BRUTO CON EMBALAJE MARÍTIMO	kg	4400	4600	6300	6900
VOLUME CON IMBALLO MARITTIMO VOLUMEN CON EMBALAJE MARÍTIMO	mc	9,8	10,4	12,6 (1700x4000xH1850)	13,2 (1700x4200xH1850)
LIVELLO DI PRESSIONE ACUSTICA NIVEL DE PRESIÓN ACÚSTICA	LpK	77+ - 2dBA9,8			

BAUCE TRI.MA SRL



Head office:

Via del lavoro 27, 36070 Trissino VI ITALY



Tel. +39 0445 490740

Fax +39 0445 490068



info-line@bauce.com

www.bauce.com

Operating Unit:

Via Arzignano 33, 36070 Trissino VI ITALY

R&D Department:

Via dell'artigianato 20, 36070 Trissino VI ITALY

Bauce do Brasil

Endereço: Av. Bom Jardim, 1777, Ivoti - RS BRASIL

Tel.: +555135560555



BAUCE
1970